
POLKADOTS SOFTWARE

NEWSflo 2012 Operator QuickStart

Basic Procedure for NEWSflo operators

Polkadots Software

NEWSflo 2012

Simply a Better
Newspaper Workflow Solution

Copyright Polkadots Software Inc. 1998 - 2012

JDF
Ready

HARLEQUIN
at heart

Polkadots
SIMPLY
BETTER

NEWSflo is a registered trademark of Polkadots Software Inc.
All other terms and product names may be trademarks or registered trademarks of their
respective owners and are hereby acknowledged. All rights reserved.

Overview

The *NEWSflo 2012 Operator QuickStart* is an illustrated quickstart guide for internal NEWSflo operators, which can be used for:

- pre-installation self-training
- training sessions (optionally as printed handouts)
- post-training: as a quick reference for new users

It takes you through the three main phases required to complete a full job:

Phase I → *Submitting Pages*

Phase II → *Page-Pairing Setup*

Phase III → *Monitoring and Output*

This procedure can be viewed in short or long form:

[Operator Procedure Summary - AT ONE QUICK GLANCE](#) (see p.3-4)
...is a brief summary outline of this 3-phase procedure

[Operator Procedure – STEP-BY-STEP ILLUSTRATED](#) (starting on p.5)
...provides details about how to perform each step.

Note

Some advanced steps or custom features are not covered in this quickstart guide (e.g. how to define from scratch the Job Definition for a publication).

Software Version: This quickstart guide is based on the NEWSflo 2012 version from January 2012.

Operator Procedure Summary - *AT ONE QUICK GLANCE*

Completing a job with NEWSflo is a 3-phase process, which is summarized below.

Please click on one of the links below if you need more details about a specific step.

Important

The procedure described in this quickstart manual is provided as a basic guideline for new users, showing a typical 3-phase procedure – *the exact order and steps to be followed by an operator can be adapted according to what is more suitable or convenient for a particular workflow.*

N.B. In some cases, such as in workflows based on Job Definition, the procedure may need to be adapted so that the order of Phase I and Phase II are reversed i.e. the Page-Pairing Setup may need to be completed before Submitting Pages.

Phase I: Submitting Pages

...to be preflighted, RIPped and proofed.

- [1. Make sure pages are named correctly.](#)
- [2. Log in to your PrePage-it Web user account.](#)
- [3. If required, create a new job.](#)
- [4. Upload/Submit pages to NEWSflo.](#)
- [5. For Job Definition workflows: the software may not upload your pages if they contain certain errors.](#)
- [6. Now if you haven't already done so, open the job.](#)
- [7. View progression of page-RIPping.](#)
- [8. Softproof/hardproof RIPped pages.](#)

9. Approve pages (if required by your setup).

Phase II: Page-Pairing Setup

...determines how pages will be paired up.

1. To access the page-pairing module, click on the Imposition tab.
2. For jobs based on Job Definition: Verify whether any additional planning is required.
3. For jobs that you want to base on a pre-defined Pagination from your Library: Click Import and select the required Pagination. Afterwards, verify whether any additional planning is required.
4. Click the Properties icon and specify any publication properties that need to be set.
5. Define the sections of your publication.
6. Verify if the pagination is correct.
7. If you need to modify the pagination, switch over to Customize Mode.
8. If required in your workflow setup, identify the color space of each page.
9. If a specific color plate needs to be set with a flop, rotation or custom template, select it and click Edit Plate.

Phase III: Monitoring and Output

...monitor to see when pairs are completed, then output them to CTP.

1. To monitor the page-pairing process, click on the Pairs tab and select View by List.
2. To view a thumbnail of completed pairs, select View by Icon.
3. Softproof/hardproof RIPped pairs, as needed.
4. Approve pairs, if required by your setup.
5. To make plates, select one or more completed pairs and click Output CTP.

Operator Procedure – *STEP-BY-STEP* *ILLUSTRATED*

Phase I: Submitting Pages

1. Make sure pages are named correctly i.e. according to the filenaming convention that has been established for your NEWSflo setup (if applicable).

NEWSflo requires correct filenaming in order to incorporate automated processes.

ABOUT FILENAMING CONVENTIONS:

A page filename typically includes the following information:

- **pub code** (abbreviated code for publication name)
- **run date** (date of issue)
- **section** character (only if publication contains sections e.g. section A, section B)
- **page number**
- **zone code** (only if publication contains zones e.g. EE for east-end zone)

Examples of filenaming conventions:

Filename	Pub code	Run date	Section	Page number	Zone code
NYP_0623_B04.pdf	NYP	0623	B	04	—
NYP_0623_B05.pdf	NYP	0623	B	05	—
ABC-09302008-006.pdf	ABC	09302008	—	006	—
ABC-09302008-007.pdf	ABC	09302008	—	007	—
SDI-1209-A016-EE.pdf	SDI	1209	A	016	EE

[Back to summary](#)


2. Log in to your PrePage-it Web user account from:

- PrePage-it Web Login screen



OR

- PrePage-it Upload Login dialog box



[Back to summary](#)


3. If required, create a new job via either PrePage-it Web or PrePage-it Upload.

- PrePage-it Web



OR

- PrePage-it Upload



Note: Workflows that include the optional Move-it module can be configured so that a job gets created automatically when pages are submitted, in which case the above step would be unnecessary.

[Back to summary](#)

4. Upload/Submit pages to NEWSflo in one of the following ways:

TIP

In some workflows, such as those based on Job Definition, the [Page-Pairing Setup](#) (see p.4) may need to be completed **before** operators can upload/submit pages. Please note that how to configure a Planner or Job Definition workflow from scratch is beyond the scope of this quickstart guide and is not covered here.

OPTION 1 → *PrePage-it Web interface*

a From the **Job List** window, select the job (by clicking on its link).

b Drag and drop your pages in the **File Upload** panel.

Name	Size
KR0110p02-03_2.pdf	1.78Mb
KR0110p01_32_32.pdf	13.12Mb
KR0110p01_32_1.pdf	7.80Mb
KR0110p02-03_3.pdf	3.42Mb

c Select a queue (**Preflight profile**).

d Click the **Send-it** button.

OR

OPTION II → *PrePage-it Upload*

The screenshot shows the 'Prepage-it-Upload - ope1 - v2.0.0' application window. It features a menu bar with 'File' and 'Edit'. Below the menu bar are icons for file operations: 'Add file', 'Remove file', 'Rename', 'Print', and 'Show web entry'. The 'Print' icon is circled with 'b'. A callout box points to it with the text: "Select a queue (Preflight profile)". Below the icons is a 'Job:' dropdown menu containing '00185-DN-0623', circled with 'a'. A callout box points to it with the text: "Select the job." Below the job dropdown is a table with columns 'File name' and 'Size':

File name	Size
KR0110p01_32_32.pdf	13.1 M
KR0110p01_32_1.pdf	7.7 M
KR0110p02-03_3.pdf	3.4 M
KR0110p02-03_2.pdf	1.7 Mb

The table area is circled with 'c'. A callout box points to it with the text: "Drag and drop your pages here." At the bottom of the window are 'Upload' and 'Quit' buttons. The 'Upload' button is circled with 'd'. A callout box points to it with the text: "Click the Upload button."

OR

OPTION III → *Drag all PDF or PS pages to a single PAGES input or “drop bucket”*

Note: Your workflow must first be configured to work with a single input hotfolder (a typical example is when the Planner workflow is configured for a customer possessing the optional Move-it module).

The screenshot shows a Windows Explorer window with the address bar set to 'P:\NEWSflo\INPUTS'. The main area displays a table of files and folders:

Name	Size	Type	Date Modified
TO_PAGES		File Folder	10/06/2011 1:00 PM

The 'TO_PAGES' folder is circled with a dashed box. A callout box points to it with the text: "Drag all pages to one input hotfolder (only if your workflow is set up this way)."

Note

This step illustrates the more common or typical methods for submitting / uploading pages to NEWSflo. However your workflow may have been configured with a different input method, for example: dragging and dropping to multiple hotfolders; using FTP; or printing from an application using a Polkadots Printer.

TIPS FOR CREATING AND SUBMITTING/PRINTING MULTIPLE-PAGE FILES TO NEWSFLO:

Single-page files : The typical method for submitting pages to NEWSflo is to create single-page files and add the page number in the filename e.g. NYP_0623_A02, REP-0930-17.

Multiple-page files : Here are some guidelines for creating and submitting/printing multiple-page files to NEWSflo from applications such as Quark/InDesign:

- ✿ in Quark/InDesign, create files where the page numbers are consecutive i.e. do not create an 8-page file with page numbers 1-4 and 25-28 – break it up into 2 files containing pages 1-4 (1st file) and pages 25-28 (2nd file)
- ✿ put 1st page number of the file somewhere in the filename, e.g. REP-0930-17 for an 8-page file containing pages 17-24
- ✿ in Quark/InDesign, it may be helpful to number the pages implicitly, for e.g.: in a file containing pages 17-24, it can be helpful to number the Quark/InDesign pages as p.17-24 rather than leaving them numbered as p.1-8
- ✿ *in a NEWSflo setup with multiple Polkadots Queues/Printers*: files containing only black pages should be submitted/printed to the Black queue/printer, whereas mixed files (containing both Black and CMYK pages) should be submitted/printed to the CMYK queue/printer

[Back to summary](#)

5. For Job Definition workflows: the software may not upload your pages if they contain certain errors (e.g. incorrect filename or page number). When this happens, make the necessary corrections and then retry uploading your pages.

Example I: Prepage-it Upload

The screenshot shows the 'Prepage-it-Upload - ope1 - v2.0.0' application window. The 'Job' field is set to 'J00179-HT-03052012'. A table lists files with their names, sizes, and page numbers. Two files have errors: 'HT-0305_00_15.pdf' and 'HT-0305!m!-06.pdf', both with the message 'Prefix not found!'. The 'Rename' button is highlighted, and a callout box provides the solution: 'Solution: **Rename** files so that the page number is recognized: HT-0305-15.pdf, HT-0305-06.pdf'. Another callout box explains the error: 'Error message: Pages not recognized (due to incorrect filenaming)'. A third callout box states: 'Problem: Filenames do not match filenaming convention.'

File name	Size	Page
HT-0305-12.pdf	1.7 Mb	12
HT-0305_00_15.pdf	13.1 Mb	Prefix not found!
HT-0305!m!-06.pdf	7.7 Mb	Prefix not found!
HT-0305-18.pdf	3.4 Mb	18

28p.1 section

Buttons: Upload, Quit

Example II: Prepage-it Web

The screenshot shows the 'PrePage-it' web interface. The 'Pages' tab is active. Under 'File upload', a table lists files with their names, sizes, and prefixes. The file 'HT-0305_16.pdf' has a question mark in the 'Prefix' column and a red error message: 'Cannot find any prefix in filename! (rename)'. A callout box explains: 'Error: Page not recognized (due to incorrect filenaming) - click [rename](#) link to correct the filename to: HT-0305-16.pdf'.

Name	Size	Prefix
HT-0305-09.pdf	13.12Mb	09
HT-0305_16.pdf	7.80Mb	?
Cannot find any prefix in filename! (rename)		
HT-0305-14.pdf	3.42Mb	14
HT-0305-08.pdf	1.78Mb	08


Buttons: Send-it

[Back to summary](#)

- Now if you haven't already done so, open the job:

from PrePage-it Upload:

click **Show Web Entry** –
this will take you directly
to the selected job



OR

from PrePage-it Web:

click on **Jobs** link, then
click on the jobname's
link (e.g. [RR-555555](#))



[Back to summary](#)

7. View progression of page-RIPping:

View RIPping progress from the **Pages** tab of a job.

Jobs | Queues | Settings | Disconnect Operator op

Job definition **Pages (72)** Imposition Pairs Status

File upload
Select the file that you would like to upload:
Browse...
Or try [Prepage-it upload](#)
You can also drag and drop files here.
Send-it

Notes
 ✓ Pages 004, 006, 008, 010, 012, 013, 014, 015, 016, 017, 018, 023, 025, 026, 027, 028, 035: Should only use black.
 ✗ Pages 037, 038, 039, 040, 041, 042, 043, 044, 045, 046, 047, 048, 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 060, 061, 062, 063, 064, 065, 066, 067, 068, 069, 070, 071, 072: Page number is out of range.

Select all Preview View-it Delete Renumber PDF Booklet

019 8.1 x 10.7in 020 8.1 x 10.7in 021 8.1 x 10.7in 022 8.1 x 10.7in 023 8.1 x 10.7in
 028 8.1 x 10.7in 029 8.1 x 10.7in 030 8.1 x 10.7in 031 8.1 x 10.7in 032 8.1 x 10.7in
 037 8.1 x 10.7in 038 8.1 x 10.7in 039 8.1 x 10.7in 040 8.1 x 10.7in 041 8.1 x 10.7in

If there's an error ✗ or warning ⚠, it will show up in the **Notes** panel.

When pages have finished RIPping successfully, a thumbnail preview will appear.

TIP

If pages that you are expecting do not appear, check the **Queues** window (accessed via **Queues** link) to see their status / progression in the RIPping process.


[Back to summary](#)

8. **Softproof/hardproof** RIPped pages, as needed, in any of the following ways:

Option I
Select **Preview** to display a quick, low-resolution preview.

Option II
Select **View-it** to display a high-resolution softproof of RIPped data.

Option III
Select **Proof** to print a hard proof on the selected printer.



TIP

Hard proofs of RIPped pages can be generated automatically (for all pages) while the pages are being RIPped by having your workflow configured with the Autoproofing feature.

[Back to summary](#)

9. Approve pages (if required by your setup).



This step is important for two reasons:

- *the operator is confirming that the page is OK, which is especially important when pages are submitted by an external supplier*

- *page approval triggers page-pairing (hence pages will never be paired up if they are not approved!)*

Note

Page-pairing will actually begin as soon as the following conditions are met: (i) the Page-Pairing Setup has been completed and (ii) all the pages of a flat have been approved.

Note

Approval is not required if Auto-approve pages has been activated for this job.

Create new job

Give a name and an owner for your job. The following character will be filtered: \\/: " < > | ? *'. Setting the owner will make the job visible for ones in the upper level of the hierarchy.

Work mode: Web Sheet fed

Pub code:

Run date:

Owner: Administrator (admin)

Make this job visible for the entire group.

Auto-approve pages for this job.

Create Cancel

TIP

In order for pairs to be assembled, pages need to be approved after the Page-Pairing Setup has been completed. If pages are first approved (whether manually or through Auto-approve) and then the Page-Pairing Setup is defined, the pages will need to be re-approved in order for the pairs to be released and assembled.


[Back to summary](#)

Phase II: Page-Pairing Setup

Important

In some cases, such as in workflows based on Job Definition, the procedure may need to be adapted so that the order of Phase I and Phase II are reversed i.e. the [Page-Pairing Setup](#) (see p.4) may need to be completed before [Submitting Pages](#) (see p.3).

1. To access the page-pairing module, click on the **Imposition** tab.



The NEWSflo 2012 page-pairing module is an enhanced version of the former **Publication Planner**.

[Back to summary](#)

2. For jobs based on Job Definition: Verify whether any additional planning is required.

This refers only to jobs where the Job Definition has already been set up (see [Note](#) below).


- If any additional setting up is required, then consult the remainder of the steps in this section (Phase II: Page-Pairing Setup).
- If no further page-pairing setup is required, then you can skip ahead to [Phase III: Monitoring and Output](#) (see p.4 or p.23).

Note

How to define from scratch the Job Definition for a publication is beyond the scope of this quickstart guide and is not covered here.

[Back to summary](#)

3. For jobs that you want to base on a pre-defined Pagination from your Library: Click **Import** and select the required **Pagination**. Afterwards, verify whether any additional planning is required:
 - If any additional setting up is needed, then consult the remainder of the steps in this section: Phase II: Page-Pairing Setup.
 - If no further page-pairing setup is required, then you can skip ahead to [Phase III: Monitoring and Output](#) (see p.4 or p.23).



[Back to summary](#)

4. Click the **Properties** icon and specify any publication properties that need to be set.



Note

The remaining steps of Phase II (Page-Pairing Setup) are typically required when your publication has not been pre-defined by either Job Definition or by importing a Pagination from your Library.


[Back to summary](#)

5. Define the sections of your publication in one of the following two ways:

- one section at a time → click the **Add** button (see [Single Section](#) on p.18)

OR

- several/all sections at once → use the **Wizard** (see [Multiple Sections](#) on p.18)



TIP

For publications which don't actually have separate sections (e.g. A-Main, B-Editorial, C-Fashion, etc.), you must add one section anyway. Then name it whatever you like, e.g. Section1 or Main or All - in this case the section **Name** has no importance and no **Prefix** is required (see figure below).

When adding a Single Section

Provide all the required information in the **New Section** window, then click the **Create** button.

The 'New Section' window shows the following fields and callouts:

- Name:** Sports (Callout: Give the section a **Name**.)
- Prefix:** C (Callout: Provide a section **Prefix** if required.)
- Template:** Broadsheet_28x25 (Broadsheet) (Callout: Select **Template** e.g. Broadsheet, Tabloid.)
- Pagination model:** Standard
- Page count:** 10 (Section will require use of dinky)
- Start page:** 1
- End page:** 10 (Callout: Specify **Page** info.)
- Web counts:** 3

Buttons at the bottom: Create, Create & Edit Layout, Cancel.

When adding Multiple Sections

Specify all the required information in the wizard window (a.k.a. **Edit Publication Sections** window), then click the **Save** button.

Edit Publication Sections
binding: Saddle stitch

Add, remove or edit section of your publication:

	Start	Pages	Template	Prefix	Info:
<input type="checkbox"/>	1	8	Standard 11.5 x 22.125_23 inch	A	(Broadsheet, F back, Saddle s
<input type="checkbox"/>	1	8	Standard 11.5 x 22.125_23 inch	B	(Broadsheet, F back, Saddle s
<input type="checkbox"/>	1	10	Standard 11.5 x 22.125_23 inch	C	(Broadsheet, F back, Saddle s

Dinkys will be required if number of pages is not a multiple of 4.

Total: 3 sections







Buttons: Save Add section Remove all

Callout boxes:

- Specify **Page** info. (points to Start and Pages columns)
- Select one **Template** for each section (e.g. Broadsheet, Tabloid). (points to Template column)
- Provide a section **Prefix** if required. (points to Prefix column)
- Delete or Duplicate a section, if needed. (points to delete and duplicate icons)
- Click **Add section** once for each section you want to add. (points to Add section button)


[Back to summary](#)

- Verify if the pagination is correct.

#		Front	Back	
1	<input type="checkbox"/>			<input type="checkbox"/>
2	<input type="checkbox"/>			<input type="checkbox"/>
3	<input type="checkbox"/>			<input type="checkbox"/>

[Back to summary](#)

7. If you need to modify the pagination, switch over to **Customize Mode** (click the **Edit Pagination** button) and use one of the methods shown in the figure below.



QUICK RENUMBER
 a. Type the number of the 1st page you want to renumber (**Current Prefix**).
 b. Then click on that page.
 c. Finally, continue to click on each subsequent page whose number you want to increment.

AUTOMATIC REPAGINATION
 Select a different pagination model from the **Pagination** dropdown list, then click the **Repaginate** icon.

Renumber Current Prefix: 1

Repaginate Pagination: Standard Mode: Customize Webs: - 3

MANUAL REPAGINATION
 Click and type a different page number.

SPECIFY DINKY
 Click the small red x to specify the dinky i.e. where no pages will be printed.


IDENTIFY DINKY
 Big red x indicates a dinky has been set.

[Back to summary](#)

8. If required in your workflow setup, identify the color space of each page.


This step is typically required in workflows where you submit all your pages to only one single “drop bucket” (regardless of color space). It is typically not required in publications that have been pre-defined by Job Definition or by importing an existing Pagination from your Library.

To specify the color space: select one or more pages, then click the matching color space button: **Black**, **Process** or **Spot**.



[Back to summary](#)

9. If a specific color plate needs to be set with a flop, rotation or custom template, select it and click **Edit Plate**.



TIP

To get a thumbnail preview of any pages that are ready to be paired up, click the **Show thumbnail** checkbox.

[Back to summary](#)

Phase III: Monitoring and Output

- To monitor the page-pairing process, click on the **Pairs** tab and select **View by List**. Here you can view information about the status of each pair.


The screenshot shows the 'Pairs (6)' tab selected. The 'View by' dropdown is set to 'List'. The table below shows the status of various job pairs.

Flat	Size	Colors	Queue	BPP	Document	Date	Status
1	36 x 24in	C, M, Y, K	N/A	N/A	N/A	N/A	Waiting for page: 001
2	36 x 24in	C, M, Y, K	N/A	N/A	N/A	N/A	Waiting for page: 010
3	36 x 24in	C, M, Y, K	N/A	N/A	N/A	N/A	Waiting for pages: 011, 014
4	36 x 24in	C, M, Y, K	N/A	N/A	N/A	N/A	Waiting for pages: 012, 013
005	24 x 36in	C, M, Y, K	S_PAIRS_2	1	5-BB-042512_Front_Color.ps	Feb 23, 2012 16:43:05	Up to date
006	24 x 36in	C, M, Y, K	S_PAIRS_2	1	6-BB-042512_Back_Color.ps	Feb 23, 2012 16:44:48	Up to date
007	24 x 36in	C, M, Y, K	S_PAIRS_2	1	7-BB-042512_Front_Mono.ps	Feb 23, 2012 14:44:12	Not up to date: resubmit
008	24 x 36in	C, M, Y, K	S_PAIRS_2	1	8-BB-042512_Back_Color.ps	Feb 23, 2012 14:45:06	Not up to date: resubmit
009	24 x 36in	C, M, Y, K	S_PAIRS_2	1	9-BB-042512_Front_Mono.ps	Feb 23, 2012 14:46:16	Not up to date: resubmit
010	24 x 36in	C, M, Y, K	S_PAIRS_2	1	10-BB-042512_Back_Mono.ps	Feb 23, 2012 14:40:01	Not up to date: resubmit

- ⊖ Waiting for pages: 012, 013 ⇐ *Flat not done, still waiting for some pages.*
- ✔ Up to date ⇐ *Flat completed and up to date.*
- ⊗ Not up to date: [resubmit](#) ⇐ *Flat is no longer up to date, something has changed (e.g. modified page, modified template, etc.)*

[Back to summary](#)

- To view a thumbnail of completed pairs, select **View by Icon**.



[Back to summary](#)

3. **Softproof/hardproof** RIPped pairs, as needed, just like you did with RIPped pages. Please refer to Phase I Step [8](#) (on p.[12](#)) for details about softproofing/hardproofing.

[Back to summary](#)


4. Approve pairs, if required by your setup.



In many workflows pair approval is not required, but it may optionally be used for reference or display purposes. However in some custom configurations, pair approval is required to set off another (automated) process.

[Back to summary](#)

5. To make plates, select one or more completed pairs and click **Output CTP**.



TIP

To select multiple pairs / colors → press **SHIFT+click** (Mac/PC), **CTRL+click** (PC) or **Command+click** (Mac).


TIP

When in **View by List** mode, the **Colors** column will display the number of times each color plate has been output to CTP.

Flat ▲	Size	Colors	Queue
✓ 001	24 x 36in	1 1 2	S_PAIRS_2
✓ 002	24 x 36in	1 1 1	S_PAIRS_2
✓ 003	24 x 36in	1 1 1 1	S_PAIRS_2

TIP

To view more detailed status information about a job, internal Operators can go to the **Status** window and track individual events that occurred in the **Upload History** and **Operation History**.



Upload history

File	Date submitted	Author	Queue	Status
K0110_p30-31_I30!.pdf	Feb 16, 2012 10:21:14	Administrator	PAGES_BLACK	Processed.
K0110_p30-31_I31!.pdf	Feb 16, 2012 10:20:58	Administrator	PAGES_CMYK	Processed.
K0110_p28-29_I29!.pdf	Feb 16, 2012 10:20:46	Administrator	PAGES_BLACK	Processed.
KR0110p01_32_I32!.pdf	Feb 16, 2012 10:20:21	Administrator	PAGES_CMYK	Processed.
KR0110p02-03_I2!.pdf	Feb 15, 2012 13:46:20	Administrator	PAGES_CMYK	Processed.
KR0110p01_32_I1!.pdf	Feb 15, 2012 13:46:02	Administrator	PAGES_CMYK	Processed.
KR0110p02-03_I2!.pdf	Feb 15, 2012 12:16:15	Administrator	PAGES_BLACK	Processed, all pages deleted
K0110_p30-31_I31!.pdf	Feb 15, 2012 12:16:07	Administrator	PAGES_BLACK	Processed, all pages deleted
KR0110p01_32_I32!.pdf	Feb 15, 2012 12:15:51	Administrator	PAGES_CMYK	Processed, all pages deleted
KR0110p01_32_I1!.pdf	Feb 15, 2012 12:14:09	Administrator	PAGES_CMYK	Processed, all pages deleted

Operation history

Action	Author	Date ▲	Comment
Job archived	Administrator	2012-03-16 01:02:26	
Pagination altered	Administrator	2012-02-15 14:27:13	
Pagination altered	Administrator	2012-02-15 13:04:44	
Pagination altered	Administrator	2012-02-15 13:01:24	
Pagination altered	Administrator	2012-02-15 12:41:43	
Pagination altered	Administrator	2012-02-15 12:34:11	
Pagination approved	Administrator	2012-02-15 11:56:14	

[Back to summary](#)



Polkadots Software Inc.

2501 Dollard
Montreal, Qc, H8N 1S2, Canada
Phone (514) 595-6866
Fax (514) 595-6012
<http://www.polkadots.ca/>